




Likno Web Tooltips Builder

Copyright © Likno Software - All rights reserved - www.likno.com


Working in Microsoft FrontPage

How to make an element of a FrontPage website to trigger a Web Tooltip?


In FrontPage, a typical website would look like this:




In case Shared Borders are used, a "_borders" folder will also appear:



Open the Web Tooltips Builder and before you do anything else, **save** the project in the root directory of the local FrontPage website:



Then go to **Project Properties** and set the **Site_Root Folder** to match the directory where the FrontPage website is stored:



You also need to select the domain where the site is published (the domains are allocated via your User Area account which is automatically created once you make a purchase of a product).


Now you can **Compile** the tooltip project. Click on the Compile icon found in the toolbar:



When the **Compile** is completed, in the "Project compiled successfully" window click on this:



In the next screen select the bottom.htm file and click on the "Link" button at the end:



Back in FrontPage, the bottom.htm border file will have the Web Modal Windows linking code:



In **Web Tooltips Builder** → **Project Tooltips** (tab) → **Opens When**, you can find the methods you can use to “attach” the tooltip in your desired page tag (for example an A tag):

According to the settings above, the following A tags would trigger the modal to appear:

```
<a href="myweblink.html" id="Tooltip_1">Suspendisse mauris</a>
<a href="myweblink.html" onClick="Tooltip_1();">Suspendisse mauris</a>
```

In case your A tag already has an existing **ID** attribute, you can keep it but you should change ID in the Web Tooltips (Opens When). For example if the A tag has an existing ID="value", then you must use this ID in “Opens When”:

In addition, you can also use the **Class** attribute:

In this case, the html code of the A tag should look like this:

```
<a href="myweblink.html" class="myClass">Suspendisse mauris</a>
```

When the A tag already has an existing class defined, you can append the new class in the class value:

```
<a href="myweblink.html" class="existingClass myClass">Suspendisse mauris</a>
```

The html code editing should be done directly in the Code View of the FrontPage application, and then the **Publish** command should be performed for the changes to take effect in the site.


In the **Web Tooltips Builder – Website Integration Guide** pdf document you can find more information about how to use other page elements (like a DIV, TABLE, TD, BUTTON, IMG etc).

In case your FrontPage website doesn't use Shared Borders you can "Link" the Web Tooltips linking code directly in any of the html pages. In addition you can also "Link" in a **Dynamic Web Template** (DWT file) or a **Master Page** for the Web Tooltips script to be available in all pages that the template or master page controls.


How to make an item of an AllWebMenus navigation to trigger a Web Tooltip?

At first we should add the AllWebMenus navigation in the website. The methods to do this are described at <http://www.likno.com/frontpage.html>.

In FrontPage, a typical website would look like this:




In case Shared Borders are used, a “_borders” folder will also appear:




Open AllWebMenus and follow the Import Navigation Structure method as described at <http://www.likno.com/frontpage.html>.

Go to Tools → Import FrontPage Navigation Structure to do this:




When the process is completed, you can edit the menu as you like and when you finish, go to **Project Properties** and set the **Site Root folder** to match the FrontPage website directory:



Then you have to **Compile** the menu and link it to the bottom.htm border file of the "_borders" folder. Click on the **Compile** icon in the toolbar and when this is completed a "Menu compiled successfully!" screen will appear. There you can click on this:




In the following screen select the bottom.htm border file and click on the “**Link**” button at the end:



Finally you have to **save** the project (awm file) in order to be able to make changes later.

In addition the bottom.htm border file will also get the menu linking code:




That means all the pages that use the bottom shared border will get the menu created with AllWebMenus.


You will need to “**Publish**” the site in a remote location (like a web server) to see the menu in the pages. Do not count on the FrontPage preview to see it since it is not always working properly and sometimes it produces script errors or just fails to show DHTML components unless the “**Publish**” is performed.

Now that the menu is added, we should make an item of it to show a tooltip.

Open Web Tooltips Builder and before you do anything else, **save** the project in the root directory of the local FrontPage website:




Then go to **Project Properties** and set the **Site_Root Folder** to match the directory where the FrontPage website is stored:



You also need to select the domain where the site is published (the domains are allocated via your User Area account which is automatically created once you make a purchase of a product).

In "**Content**" options you can see the value that you should use as the "Source" of the tooltip project:




Now you can **Compile** the tooltip project. Click on the Compile icon in the toolbar:




When the **Compile** is completed, in the "Project compiled successfully" window click on this:




In the next screen select the bottom.htm file and click on the "**Link**" button at the end:



Back in FrontPage, the bottom.htm border file will have the Web Tooltips linking code too:



Double-click the menu.awm project to open AllWebMenus and in the Style Editor, select the appropriate Item Style and in the "Tooltip Style" property use the tooltip project name:



Then enter the desired tooltip text in the appropriate field of the **“Tooltip”** property in the item where the tooltip should appear:



Now you can **Compile** the menu again for the changes to be applied.

Note that the AllWebMenus preview will only display a generic (browser-generated) tooltip. The tooltip created by Web Tooltips will be displayed in the menu when previewed in any external browser and after the FrontPage **“Publish”** is performed.

In case your FrontPage website doesn't use Shared Borders you can "Link" the Web Tooltips linking code directly in any of the html pages. In addition you can also "Link" in a **Dynamic Web Template** (DWT file) or a **Master Page** for the Modal Window script to be available in all pages that the template or master page controls.